## WHAT IS CLAIMED IS:

5

- 1. Isolated biologically active Apo-2LI having at least about 80% sequence identity with native sequence Apo-2LI having amino acid residues 1 to 181 of SEQ ID NO:1.
- 2. The Apo-2LI of claim 1 wherein said Apo-2LI has at least about 90% sequence identity.
- 10 3. The Apo-2LI of claim 2 wherein said Apo-2LI has at least about 95% sequence identity.
  - 4. Isolated Apo-2LI comprising amino acid residues 1 to 181 of SEQ ID NO:1.
  - 5. A chimeric molecule comprising the Apo-2LI of claim 1 or claim 4 fused to a heterologous amino acid sequence.
  - 6. The chimeric molecule of claim 5 wherein said heterologous amino acid sequence is an epitope tag sequence.
  - 7. The chimeric molecule of claim's wherein said heterologous amino acid sequence is an immunoglobulin sequence.
  - 8. The chimeric molecule of claim 7 wherein said immunoglobulin sequence is an IgG.
  - 9. A dimer molecule comprising a first Apo-2LI and a second Apo-2LI.
  - 10. An antibody which binds to Apo-2LI.
  - 11. The antibody of claim 10 wherein said antibody is a monoclonal antibody.

- 12. Isolated nucleic acid encoding Apo-2LI.
- 13. The nucleic acid of claim 12 wherein said nucleic acid encodes an Apo-2LI comprising amino acid residues 1 to 181 of SEQ ID NO:1.
- 14. A vector comprising the nucleic acid of claim 12.
- 15. A host cell comprising the vector of claim 14.

16. A method of producing Apo-2LI comprising culturing the host cell of claim 15 and recovering the Apo-2LI from the host cell culture.

- 17. An article of manufacture, comprising:
  - a container;

5

10

15

20,7 20,7

8# ±1

- a label on said container; and
- a composition contained within said container, said composition comprising Apo-PLI.
- 18. The article of manufacture of claim 17 further comprising instructions for using the Apo-2LI in vivo or ex vivo.
- 19. Isolated biologically active Apo-3 polypeptide having at least about 80% sequence identity with native sequence Apo-3 having amino acid residues 1/to 417 of SEQ ID NO:6.
- 20. The Apo-3 of claim 19 wherein said Apo-3 has at least about 90% sequence identity.
- 10 21. The Apo-3 of claim 20 wherein said Apo-3 has at least about 95% sequence identity.

- 22. Isolated native sequence Apo-3 comprising amino acid residues 1 to 417 of SEQ ID NO:6.
- Isolated biologically active polypeptide having at least about 80% sequence identity with the extracellular domain sequence of Apo-3 having amino acid residues 1 to 198 of SEQ ID NO:6.
  - 24. The polypeptide of claim 23 wherein said polypeptide has at least about 90% sequence identity.
  - 25. The polypeptide of claim 24 wherein said polypeptide is Apo-2LI.
  - 26. Isolated extracellular domain sequence of Apo-3 comprising amino acid residues 1 to 198 of SEQ ID NO:6.
  - 27. Isolated death domain sequence of Apo-3 comprising amino acid residues 338 to 417 of SEQ ID NO:6.
  - 28. A chimeric molecule comprising the Apo-3 of claim 22 or the extracellular domain sequence of claim 23 fused to a heterologous amino acid sequence.
  - 29. The chimeric molecule of claim 28 wherein said heterologous amino acid sequence is an epitope tag sequence.
  - 30. The chimeric molecule of claim 28 wherein said heterologous amino acid sequence is an immunoglobulin sequence.
- 30 31. The chimeric molecule of claim 30 wherein said immunoglobulin sequence is an IgG.
  - 32. An antibody which binds to Apo-3 or to the extracellular domain sequence of claim 23.

10

20🗐

- 33. The antibody of claim 32 wherein said antibody is a monoclonal antibody.
- 34. Isolated nucleic acid encoding the Apo-3 of claim 22, the extracellular domain sequence of claim 23 or the death domain sequence of claim 27.
- 35. The nucleic acid of claim 34 wherein said nucleic acid encodes native sequence Apo-3 comprising amino acid residues 1 to 417 of SEQ ID NO:6.
  - 36. A vector comprising the nucleic acid of claim 34.
- 37. The vector of claim 36 operably linked to control sequences recognized by a host cell transformed with the vector.
  - 38. A host cell comprising the vector of claim 36.

And the season

ध्य है।

25

30

20🗐

- 39. A process of using a nucleic acid molecule encoding Apo-3 to effect production of Apo-3 comprising culturing the host cell of claim 38.
- 40. A non-human, transgenic animal which contains cells that express nucleic acid encoding Apo-3.
- 41. The animal of claim 40 which is a mouse or rat.
- 42. A non-human, knockout animal which contains cells having an altered gene encoding Apo-3.
- 43. The animal of claim 42 which is a mouse or rat.
- 44. An article of manufacture, comprising a container and a composition contained within said container, wherein the composition includes Apo-3 polypeptide or Apo-3 antibodies.



